

KLUDI Fittings for the bathroom

88 Sets


● KLUDI ●





Content

| | |
|------------------|-----------|
| KLUDI FLEXX.BOXX | 4 - 5 |
| KLUDI ZENTA | 6 - 41 |
| KLUDI BOZZ | 42 - 73 |
| KLUDI OBJEKTA | 74 - 99 |
| KLUDI Q-BEO | 100 - 125 |
| KLUDI BALANCE | 126 - 159 |
| KLUDI AMBA | 160 - 193 |



KLUDI FLEXX.BOXX - the name says it all, now more than ever. The new FLEXX.BOXX comes as a concealed box with integrated flushing set.

Now you can install the FLEXX.BOXX with even greater flexibility, as all you need is one box for all applications: thermostat, single lever mixer or protection against backflow. This means you can wait until the last minute to choose the appropriate KLUDI tap.



KLUDI FLEXX.BOXX


One concealed box for *all applications*



The new FLEXX.BOXX also impressed the expert jury in terms of quality and functionality and therefore was named **BEST PRODUCT OF THE YEAR 2012**.

Universal concealed box

With KLUDI FLEXX.BOXX it is possible to convert from a single lever mixer to a thermostat or vice versa at any time.



- ✓ Saves space under the shower
- ✓ Gives more bathroom design options
- ✓ No time pressure. You can install KLUDI FLEXX.BOXX without worrying about the additional fittings that can be installed later on.

Maximum sound insulation through Elastomere coating, which encloses all water-bearing components. None of the water-bearing components have any direct contact with the wall. They are totally enclosed by the Elastomere coating, which absorbs the sound of running water before it can reach the wall.

Maximum compatibility: External DN 20 connections that fit all conventional and modern plumbing systems.

Maximum precision through an internal platform made of DZR brass. The platform that is later assimilated into the unit has a precision-engineered seal face. This is made of dezincification-resistant (DZR) brass and has external DN 20 connections that are tested by Kludi for watertightness.



New benefits



Flexible wall installation.
Installation on uneven surfaces possible.



Intelligent seal system.
Protection from condensation and splashwater.



Sound insulation.
The noise of dolowing water is not carried through the wall.



Single unit Elastomere coating and water-bearing parts form a single unit.



Installation depth.
Arrows marked on the Elastomere coating show the optimum installation depth of 80 to 110 mm.

Maximum watertightness:

The watertight Elastomere coating acts as an intelligent sealing system that surrounds the water-bearing parts. Any condensation that arises inside the FLEXX.BOX is drained out onto the front of the tiles.

Maximum flexibility and convertibility:

One concealed box for all applications.

Maxximal adjustability:

Flexible wall installation, even on irregular surfaces, thanks to the ring-shaped central folds. Elastomere coating and the ring-shaped central folds allow to fit it effortlessly onto any wall.

Maximum flushing convenience with integrated flushing set, without opening the box.


The KLUDI FLEXX.BOX comes fully watertight and ready to install. The plumbing and the connection to the box can be tested for watertightness as soon as it has been installed. The flushing pipes are fastened with four screw caps, which are easy to undo. You can use a conventional hose to create any flushing combination you like.

Maximum ease of installation with the practical assembly pipe:

The practical assembly pipe strengthens the elastomere coating during the construction phase and makes it easy to use the spirit level.

Tried and tested expertise
KLUDI FLEXX.BOXX complies with
Norms and Guidelines

- DIN 4109 Sound proofing in building construction
- DIN 1988 Standard flushing
- DIN 18195 Sealing of built-in fittings
- DIN EN 1717 Drinking water protection



Interested in getting more information? Learn about all the benefits, see how easy it is to install our concealed box with our step-by-step guide.

Scan the QR code or visit www.flexboxx.com.



KLUDI ZENTA


Exceptional variety

The fundamental architectural forms of cylinder and rectangle determine the character of KLUDI ZENTA. The line includes a range that is impressive in its variety. KLUDI ZENTA offers the right solution for virtually every possible use, regardless of whether it concerns a washbasin, bath or shower. The design line even continues into the kitchen.



KLUDI ZENTA *set number 1*

Concealed single lever bath and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|--|--|
|   | KLUDI ZENTA concealed single lever bath and shower mixer | chrome black/chrome white/chrome | 386500575 386508675 386509175 |
|   | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|   | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|   | KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|   | KLUDI ZENTA shower set 2S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts | chrome | 6074005-00 |
|   | wall supply DN 15 with wall-compensation ring | chrome white | 6306005-00 6306043-00 NEW |

KLUDI ZENTA *set number 2*

Concealed single lever bath and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---|---|--|--|
|   | KLUDI ZENTA concealed single lever bath and shower mixer | chrome black/chrome white/chrome | 386500575 386508675 386509175 |
|   | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|   | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|   | KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|   | KLUDI ZENTA bath-shower set 2S KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels | chrome | 6075005-00 |
|   | wall supply DN 15 with wall-compensation ring | chrome white | 6306005-00 6306043-00 NEW |

KLUDI ZENTA *set number 3*

Concealed single lever bath and shower mixer with head shower and bath-shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|--|--|
|  |  KLUDI ZENTA concealed single lever bath and shower mixer | chrome black/chrome white/chrome | 386500575 386508675 386509175 |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  |  KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|  |  KLUDI ZENTA bath-shower set 2S KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels | chrome | 6075005-00 |
|  |  wall supply DN 15 protected against back flow | chrome white | 6306105-00 6306143-00 NEW |
|  |  KLUDI BALANCE two way diverter trim set | chrome | 528470575 |
|  |  two way diverter DN 15 | - | 29747 |
|  |  KLUDI A-QA side shower DN 15 swivelling normal spray with ball joint and escutcheon | chrome | 6108305-00 |

KLUDI ZENTA *set number 4*

Concealed single lever shower mixer with KLUDI DUAL-Shower-System




* Suggested way of installing the elements. All measurements in cm.








| Product | Product description | Surface | Article number |
|---|--|---|---|
|   | <p>KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC</p> | <p>chrome black/chrome white/chrome</p> | <p>386550575 386558675 386559175</p> |
|   | <p>KLUDI FLEXX.BOX concealed unit DN 20 with flushing set</p> | - | 88011 |
|   | <p>KLUDI ZENTA DUAL-SHOWER-SYSTEM DN 15 wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI ZENTA 2S with mounting material without shower mixer</p> | chrome | 6609005-00 |
|   | <p>wall supply DN 15 with wall-compensation ring</p> | <p>chrome white</p> | <p>6306005-00 6306043-00 NEW</p> |

KLUDI ZENTA *set number 5*

Concealed single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.





















| Product | Product description | Surface | Article number |
|---|---|---|--|
|  |  | <p>KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow class DC</p> | <p>chrome 386550575 black/chrome 386558675 white/chrome 386559175</p> |
|  |  | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | <p>- 88011</p> |
|  |  | <p>KLUDI ZENTA 1S shower set 1S L = 600 mm KLUDI ZENTA wall rail with KLUDI ZENTA 1S hand shower DN 15 with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p> | <p>chrome 6063005-00</p> |
|  |  | <p>wall supply DN 15 with wall-compensation ring</p> | <p>chrome 6306005-00 white 6306043-00 NEW</p> |

KLUDI ZENTA *set number 6*

Concealed single lever shower mixer with KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.











| Product | Product description | Surface | Article number |
|---|---|--|--|
|   | KLUDI ZENTA concealed single lever shower mixer concealed valve with functional unit ceramic cartridge with hot water imitation | chrome black/chrome white/chrome | 386550575 386558675 386559175 |
|   | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|   | KLUDI ZENTA hand shower DN 15, 2S, adjustable to two spray patterns: shower spray, smooth spray | chrome | 6070005-00 |
|   | KLUDI A-QA head shower DN 15 Ø 250 mm | chrome | 6432505-00 NEW |
|   | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 250 mm with push-on rosette diameter 55 mm | chrome | 6651305-00 |
|   | KLUDI SIRENAFLEX shower hose DN 15 with conical nuts G 1/2 x G 1/2 x 1250 mm | chrome | 6100405-00 |
|   | KLUDI A-QA wall supply with shower holder DN 15 DN 15 | chrome white | 6556005-00 6556043-00 NEW |
|   | KLUDI BALANCE three-way diverter trim set | chrome | 528460575 NEW |
|   | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|   | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |

KLUDI ZENTA *set number 7*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and hand shower




* Suggested way of installing the elements. All measurements in cm.















| Product | Product description | Surface | Article number |
|---|--|-----------------|--|
|   | <p>KLUDI ZENTA concealed single lever bath and shower mixer concealed valve with functional unit solid lever autom. diverter shower/bathtub ceramic cartridge with hot water limitation flow class DC</p> | chrome | 386570575 |
|   | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|   | <p>KLUDI ZENTA 2S hand shower DN 15 quick and easy cleaning system adjustable to two spray patterns: shower spray smooth spray</p> | chrome | 6070005-00 |
|   | <p>KLUDI SIRENAFLEX shower hose DN 15 with conical nuts G 1/2 x G 1/2 x 1250 mm</p> | chrome | 6100405-00 |
|   | <p>KLUDI A-QA wall supply with shower holder DN 15 DN 15</p> | chrome white | 6556005-00 6556043-00 NEW |
|   | <p>KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set</p> | - | 2131500-00 |
|   | <p>KLUDI ROTEXA MULTI filling, waste and overflow trim set</p> | chrome | 7182605-00 |
|   | <p>Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant</p> | - | 6115000-00 |

KLUDI ZENTA *set number 8*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and shower set




* Suggested way of installing the elements. All measurements in cm.







| Product | Product description | Surface | Article number |
|---|--|-----------------|--|
|   | <p>KLUDI ZENTA concealed single lever bath and shower mixer concealed valve with functional unit protected against back flow</p> | chrome | 386570575 |
|   | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|   | <p>KLUDI ZENTA 2S shower set L = 600 mm KLUDI ZENTA wall rail KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p> | chrome | 6073005-00 |
|   | <p>wall supply DN 15 protected against back flow</p> | chrome white | 6306105-00 6306143-00 NEW |
|   | <p>KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set</p> | - | 2131500-00 |
|   | <p>KLUDI ROTEXA MULTI filling, waste and overflow trim set</p> | chrome | 7182605-00 |
|   | <p>Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant</p> | - | 6115000-00 |

KLUDI ZENTA *set number 9*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and shower set




* Suggested way of installing the elements. All measurements in cm.





| Product | Product description | Surface | Article number |
|--|--|---------|----------------|
|  | <p>KLUDI ZENTA concealed single lever bath and shower mixer concealed valve with functional unit protected against back flow</p> | chrome | 386570575 |
|  | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|  | <p>KLUDI ZENTA shower set hand shower KLUDI ZENTA 2S shower hose 1500 mm high pressure supply hose G 1/2 x G 1/2 x 500 mm</p> | chrome | 2765205 |
|  | <p>KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set</p> | - | 2131500-00 |
|  | <p>KLUDI ROTEXA MULTI filling, waste and overflow trim set</p> | chrome | 7182605-00 |
|  | <p>Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant</p> | - | 6115000-00 |

KLUDI ZENTA *set number 10*

Single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.





| Product | Product description | Surface | Article number |
|---|---|--|--|
|  | <p>KLUDI ZENTA single lever shower mixer DN 15 ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2</p> | chrome black/chrome white/chrome | 388700575 388708675 388709175 |
|  | <p>KLUDI ZENTA shower set 3S L = 900 mm KLUDI ZENTA wall rail KLUDI ZENTA 3S hand shower DN 15 adjustable to three spray patterns: shower spray smooth spray massage-spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p> | chrome black/chrome white/chrome | 6084005-00 6084086-00 6084091-00 |
|  | <p>KLUDI TASSO 90 pop-up waste trim set</p> | chrome | 7137005-00 |
|  | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | - | 2109100-00 |

KLUDI ZENTA *set number 11*

Thermostatic shower mixer with KLUDI DUAL-Shower-System




* Suggested way of installing the elements. All measurements in cm.







| Product | Product description | Surface | Article number |
|--|--|---|---|
|  | <p>KLUDI ZENTA thermostatic shower mixer DN 15 temperature control handle with hot water safety device 38° C protected against back flow shower outlet G 1/2</p> | <p>chrome black/chrome white/chrome</p> | <p>351000538 351008638 351009138</p> |
|  | <p>KLUDI ZENTA Dual-Shower-System DN 15 wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with connecting hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI ZENTA 2S with mounting material without shower mixer</p> | <p>chrome</p> | <p>6609005-00</p> |
|  | <p>KLUDI TASSO 90 pop-up waste trim set</p> | <p>chrome</p> | <p>7137005-00</p> |
|  | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | <p>-</p> | <p>2109100-00</p> |

KLUDI ZENTA *set number 12*

Thermostatic bath- and shower mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|---|---|
|  | <p>KLUDI ZENTA thermostatic bath- and shower mixer DN 15 temperature control handle with hot water safety device 38° C ceramic headpart 90° protected against back flow shower outlet G 1/2</p> | <p>chrome black/chrome white/chrome</p> | <p>351010538 351018638 351019138</p> |
|  | <hr/> <p>KLUDI ZENTA bath-shower set 2S KLUDI ZENTA 2S hand shower DN 15 adjustable to two spray patterns: shower spray smooth spray with KLUDI LOGOFLEX-hose G 1/2 x G 1/2 x 1250 mm with conical nuts fixed wall shower hook with screws and dowels</p> <hr/> <p>KLUDI ROTEKA 2000 pop-up and overflow set G 1 1/2</p> <hr/> | | |
|  |  | <p>chrome</p> | <p>6075005-00</p> |
|  |  | <p>chrome</p> | <p>2140705-00</p> |

KLUDI ZENTA *set number 13*

Single lever bath- and shower mixer for three hole deck mounted installation




* Suggested way of installing the elements. All measurements in cm.





| Product | Product description | Surface | Article number |
|---------|--|---------|----------------|
| | <p>KLUDI ZENTA single lever bath- and shower mixer DN 15 three hole deck mounted installation ceramic cartridge with hot water limitation retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow</p> | chrome | 384460575 |
| | <p>bath rim assembly kit pre-installation set for three hole mixer with 2 pressure hoses G 1/2 x G 1/2 x 400 mm incl. back flow preventer pop-up and overflow set G 1 1/2</p> | - | 7480200-00 |
| | <p>KLUDI pop-up and overflow set trim set</p> | chrome | 7106605-00 |
| | <p>visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802</p> | chrome | 1602405 |
| | <p>screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794</p> | chrome | 7615605-00 |

KLUDI ZENTA *set number 14*

Single lever basin mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|--|---|
|  | <p>KLUDI ZENTA single lever basin mixer DN 10 s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8</p> | <p>chrome black/chrome white/chrome</p> | <p>382500575 382508675 382509175</p> |
|  |  | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | <p>chrome 1025005-00</p> |
|  | | | |

KLUDI ZENTA *set number 15*

Single lever washbowl mixer




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---------|--|---------|----------------|
| | <p>KLUDI ZENTA single lever washbasin mixer DN 10 s-pointer eco-aerator M 24 x 1 ceramic cartridge with hot water limitation flexible hoses G 3/8</p> | chrome | 382560575 |
| | <p>lockable plug for wash basin without overflow waste flow rate 22 l/min with hair strainer</p> | chrome | 1042205-00 |
| | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | chrome | 1025005-00 |

KLUDI ZENTA *set number 16*

Concealed two hole wall mounted basin mixer




* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---|--|---------|----------------|
|  | <p>KLUDI ZENTA concealed two hole wall mounted basin mixer s-pointer eco-aerator M 24 x 1</p> | chrome | 382440575 |
|  | | | |
|  | <p>installation set DN 15 for concealed installation ceramic cartridge with hot water limitation connection G 1/2</p> | - | 38243 |
|  | | | |
|  | <p>PUSH-OPEN waste lockable plug for wash basin with overflow</p> | chrome | 1042405-00 |
|  | | | |
|  | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | chrome | 1025005-00 |
|  | | | |

KLUDI ZENTA *set number 17*

Single lever bidet mixer




* Suggested way of installing the elements. All measurements in cm.

**KLUDI ZENTA**

single lever bidet mixer DN 10
 ball joint-cascade-aerator M 24 x 1
 ceramic cartridge with hot water limitation
 pop-up waste G 1 1/4
 flexible hoses G 3/8

chrome
 black/chrome
 white/chrome

385300575
 385308675
 385309175

**bidet P - trap 1 1/4**

G 1 1/4 x 32 mm
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome

1031105-00



KLUDI BOZZ


A matter of pure form

KLUDI BOZZ celebrates the cylinder in its archetypal form. The whole range of mixers has been designed from cylindrical bodies, which are in perfect proportion to one another. Reduced to the pure form!















KLUDI BOZZ *set number 1*

Concealed single lever bath and shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|--|-----------------------------|
|  |  | KLUDI BOZZ concealed single lever bath and shower mixer DN 15 | chrome 386500576 |
|  |  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - 88011 |
|  |  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome 6651405-00 |
|  |  | KLUDI A-QA head shower DN 15 Ø 245 mm | chrome 6651105-00 |
|  |  | KLUDI A-QA b shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts | chrome 6564005-00 |
|  |  | KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome 6554005-00 |

KLUDI BOZZ *set number 2*

Concealed single lever bath and shower mixer with head shower and bath-shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|--|---|---------|-------------------|
|  | KLUDI BOZZ concealed single lever bath and shower mixer DN 15 | chrome | 386500576 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  | KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|  | KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm | chrome | 6565005-00 |
|  | KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6554005-00 |

KLUDI BOZZ *set number 3*

Concealed single lever bath and shower mixer with head shower, bath-shower set and side shower




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|---------|-------------------|
|  |  KLUDI BOZZ concealed single lever bath and shower mixer DN 15 | chrome | 386500576 |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  |  KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|  |  KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm | chrome | 6656005-00 |
|  |  KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6654005-00 |
|  |  KLUDI BALANCE two way diverter, trim set | chrome | 528470575 |
|  |  two way diverter DN 15 | - | 29747 |
|  |  KLUDI A-QA side shower DN 15 swivelling normal spray with ball joint and escutcheon | chrome | 6108305-00 |

KLUDI BOZZ *set number 4*

Concealed single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|---|--|---------|----------------|
|  | <p>KLUDI BOZZ concealed single lever shower mixer</p> | chrome | 386550576 |
|  | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|  | <p>KLUDI A-QA b shower set 1S L = 600 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p> | chrome | 6563005-00 |
|  | <p>KLUDI A-QA wall supply DN 15 with wall-compensation ring</p> | chrome | 6554005-00 |

KLUDI BOZZ *set number 5*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.













| Product | Product description | Surface | Article number |
|---|--|---------|----------------|
|  | KLUDI BOZZ concealed single lever bath and shower mixer protected against back flow | chrome | 386570576 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA s DUAL-SHOWER-SYSTEM wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX Hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume with mounting material without shower mixer | chrome | 6609105-00 |
|  | KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6554005-00 |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI BOZZ *set number 6*

Concealed single lever bath-shower set with KLUDI ROTEXA MULTI and bath-shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|---------|----------------|
|   | <p>KLUDI BOZZ concealed single lever bath and shower mixer protected against back flow</p> | chrome | 386570576 |
|   | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|   | <p>KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels KLUDI SUPARAFLEX SILVER-hose 6107105-00 G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2</p> | chrome | 6567005-00 |
|   | <p>KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set</p> | - | 2131500-00 |
|   | <p>KLUDI ROTEXA MULTI filling, waste and overflow trim set</p> | chrome | 7182605-00 |
|   | <p>Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant</p> | - | 6115000-00 |

KLUDI BOZZ *set number 7*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and shower set




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---|--|---------|-------------------|
|  | KLUDI BOZZ concealed single lever bath and shower mixer protected against back flow | chrome | 386570576 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA b shower set 1S L = 600 mm wall rail horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts | chrome | 6563005-00 |
|  | KLUDI A-QA wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 6554305-00 |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI BOZZ *set number 8*

Single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|--|---|---------|-------------------|
|  | <p>KLUDI BOZZ single lever shower mixer DN 15 ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2</p> | chrome | 388310576 |
|  | | | |
|  | <p>KLUDI A-QA b shower set 1S L = 900 mm wall rail Horizontal and vertical adjustable slider KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts</p> | chrome | 6564005-00 |
|  | | | |
|  | <p>KLUDI TASSO 90 pop-up waste trim set</p> | chrome | 7137005-00 |
|  | | | |
|  | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | - | 2109100-00 |
|  | | | |

KLUDI BOZZ *set number 9*

Thermostatic shower mixer with KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.







| Product | Product description | Surface | Article number |
|---|---|---------|----------------|
|   | KLUDI BOZZ thermostatic shower mixer DN 15 temperature control handle with hot water safety device 38° C protected against back flow shower outlet G 1/2 | chrome | 352030538 |
|   | KLUDI A-QA s DUAL-SHOWER-SYSTEM wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX hose DN 15 G 1/2 x G 1/2 x 1600 mm head shower Ø 200 mm hand shower KLUDI A-QA s adjustable to three spray patterns: booster, smooth, volume with mounting material without shower mixer | chrome | 6609105-00 |
|   | KLUDI TASSO 90 pop-up waste trim set | chrome | 7137005-00 |
|   | KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter | - | 2109100-00 |

KLUDI BOZZ *set number 10*

Single lever bath- and shower mixer with bath-shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|---------|-------------------|
|  |  <p>KLUDI BOZZ single lever bath- and shower mixer DN 15 ceramic cartridge with hot water limitation protected against back flow shower outlet G 1/2</p> | chrome | 386910576 |
|  |  <p>KLUDI A-QA b bath-shower set KLUDI A-QA b 1S hand shower DN 15 with 50 % Eco function with shower spray with 60 flash nozzels SIRENAFLEX-hose G 1/2 x G 1/2 x 1250 mm</p> | chrome | 6565005-00 |
|  |  <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2</p> | chrome | 2140705-00 |


KLUDI BOZZ *set number 11*

Single lever basin mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---------|---------------------|---------|----------------|
|---------|---------------------|---------|----------------|



KLUDI BOZZ
 single lever basin mixer DN 10
 PCA caché-aerator M 16,5 x 1
 ceramic cartridge with hot water limitation
 pop-up waste G 1 1/4
 flexible hoses G 3/8

chrome **382910576**




P-trap G 1 1/4
 G 1 1/4 x 32 mm, standard model
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome **1025005-00**


KLUDI BOZZ *set number 12*

Single lever washbowl mixer



* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---------|---------------------|---------|----------------|
|---------|---------------------|---------|----------------|



KLUDI BOZZ
 single lever washbasin mixer DN 10
 PCA caché-aerator M 16,5 x 1
 ceramic cartridge with hot water limitation
 flexible hoses G 3/8

chrome


382960576



lockable plug
 for wash basin without overflow
 waste flow rate 22 l/min
 with hair strainer

chrome

1042205-00




P-trap G 1 1/4
 G 1 1/4 x 32 mm, standard model
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome









1025005-00

KLUDI BOZZ *set number 13*

Concealed two hole wall mounted basin mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|---------|-------------------|
|   | KLUDI BOZZ concealed two hole wall mounted basin mixer s-pointer eco-aerator M 24 x 1 | chrome | 382450576 |
|   | installation set DN 15 for concealed installation ceramic cartridge with hot water limitation connection G 1/2 | - | 38243 |
|   | PUSH-OPEN waste lockable plug for wash basin with overflow | chrome | 1042405-00 |
|   | P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon) | chrome | 1025005-00 |


KLUDI BOZZ *set number 14*

Basin mixer for three hole assembling



* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---------|---------------------|---------|----------------|
|---------|---------------------|---------|----------------|




KLUDI BOZZ
 basin mixer DN 10
 three hole assembling
 Caché-aerator M 21,5 x 1
 ceramic headpart 90°
 pop-up waste G 1 1/4
 flexible hoses G 3/8

chrome

383930576

NEW




P-trap G 1 1/4
 G 1 1/4 x 32 mm, standard model
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome



1025005-00

KLUDI BOZZ *set number 15*

Single lever bidet mixer



* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|---------|-------------------|
|  | <p>KLUDI BOZZ single lever bidet mixer DN 10 ball joint-aerator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4 flexible hoses G 3/8</p> | chrome | 385330576 |
|  | <p>bidet P - trap 1 1/4 G 1 1/4 x 32 mm with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | chrome | 1031105-00 |






KLUDI OBJEKTA

Cuts a good figure everywhere





The successful product range takes up the trend for softer lines and, at the same time keeps its fundamental, sleek architectural structure. The durable mixers and showers fit in harmoniously with different bathroom interiors.

KLUDI OBJEKTA *set number 1*

Concealed single lever bath and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.






| Product | Product description | Surface | Article number |
|---|---|-----------------|--|
|  | KLUDI OBJEKTA concealed single lever bath and shower mixer DN 15 | chrome | 326500575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  | KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|  | KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with mounting material | chrome | 6793005-00 NEW |
|  | wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring | chrome white | 6306105-00 6306143-00 NEW |

KLUDI OBJEKTA *set number 2*

Concealed single lever bath and shower mixer with head shower and bath-shower set




* Suggested way of installing the elements. All measurements in cm.










| Product | Product description | Surface | Article number |
|---|---|---------|--------------------------|
|  | KLUDI OBJEKTA concealed single lever bath and shower mixer DN 15 | chrome | 326500575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  | KLUDI A-QA head shower DN 15 Ø 245 mm | chrome | 6651105-00 |
|  | KLUDI FRESHLINE bath-shower set 1S KLUDI FRESHLINE 1S handshower DN 15 with spray mode (volume) KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 | chrome | 6787005-00 NEW |

KLUDI OBJEKTA *set number 3*

Concealed single lever bath and shower mixer with head shower, bath-shower set and side shower




* Suggested way of installing the elements. All measurements in cm.





| Product | Product description | Surface | Article number |
|---|---|-----------------|--|
|  | KLUDI OBJEKTA concealed single lever bath and shower mixer DN 15 | chrome | 326500575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  | KLUDI A-QA ECO eco-head shower DN 15 Ø 245 mm | chrome | 6652105-00 |
|  | KLUDI FRESHLINE bath-shower set 3S wall fastening KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm | chrome | 6795005-00 |
|  | wall supply DN 15 protected against back flow | chrome white | 6306105-00 6306143-00 NEW |
|  | KLUDI BALANCE two way diverter rim set | chrome | 528470575 |
|  | two way diverter DN 15 | - | 29747 |
|  | KLUDI A-QA side shower DN 15 swivelling normal spray with ball joint and escutcheon | chrome | 6108305-00 |

KLUDI OBJEKTA *set number 4*

Concealed single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.








| Product | Product description | Surface | Article number |
|---|---|-----------------|--|
|  | KLUDI OBJEKTA concealed single lever shower mixer | chrome | 326550575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with mounting material | chrome | 6793005-00 NEW |
|  | wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring | chrome white | 6306105-00 6306143-00 NEW |

KLUDI OBJEKTA *set number 5*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|-----------------|--|
|  | KLUDI OBJEKTA concealed single lever bath and shower mixer protected against back flow | chrome | 326570575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FRESHLINE DUAL-SHOWER-SYSTEM wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm with KLUDI FRESHLINE head shower 6751105-00 with KLUDI FRESHLINE 3S handshower DN 15 6790005-00 with mounting material without shower mixer | chrome | 6709005-00 NEW |
|  | wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring | chrome white | 6306105-00 6306143-00 NEW |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI OBJEKTA *set number 6*

Concealed single lever bath and shower mixer with bath-shower set and KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.








| Product | Product description | Surface | Article number |
|---|--|---------|---------------------------------|
|  | KLUDI OBJEKTA concealed single lever bath and shower mixer protected against back flow | chrome | 326570575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FRESHLINE bath-shower set 1S KLUDI FRESHLINE 1S handshower DN 15 with spray mode (volume) KLUDI SUPARAFLEX SILVER G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 | chrome | 6787005-00 NEW |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI OBJEKTA *set number 7*

Concealed single lever bath and shower mixer with shower set and KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---|--|-----------------|--------------------------|
|  | KLUDI OBJEKTA concealed single lever bath and shower mixer protected against back flow | chrome | 326570575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with mounting material | chrome | 6793005-00 |
|  | wall supply DN 15 protected against back flow according to DIN EN 1717 with wall-compensation ring | chrome white | 6306105-00 6306143-00 |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow rim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI OBJEKTA *set number 8*

Single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|---|---------------------------------|
|  |  | <p>KLUDI OBJEKTA single lever shower mixer DN 15 ceramic cartridge with hot water limitation protected against back flow s-connections G 1/2 x G 3/4</p> | chrome 327640575 |
|  |  | <p>KLUDI FRESHLINE shower set 3S L = 600 mm horizontal and vertical adjustable slider KLUDI FRESHLINE 3S handshower DN 15 can be changed to three different spray patterns: volume, booster, smooth quick and easy cleaning system with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts with mounting material</p> | chrome 6793005-00 NEW |
|  |  | <p>KLUDI TASSO 90 pop-up waste trim set</p> | chrome 7137005-00 |
|  |  | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | - 2109100-00 |

KLUDI OBJEKTA *set number 9*

Thermostatic shower mixer with KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---|--|---------|--------------------------|
|   | KLUDI OBJEKTA thermostatic shower mixer DN 15 temperature control handle with hot water safety device 38° C 50 % water consumption regulation protected against back flow | chrome | 352000538 |
|   | KLUDI FRESHLINE DUAL-SHOWER-SYSTEM wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider with KLUDI SUPARAFLEX shower hose G 1/2 x G 1/2 x 1600 mm with KLUDI FRESHLINE head shower 6751105-00 with KLUDI FRESHLINE 3S handshower DN 15 6790005-00 with mounting material without shower mixer | chrome | 6709005-00 NEW |
|   | KLUDI TASSO 90 pop-up waste trim set | chrome | 7137005-00 |
|   | KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter | - | 2109100-00 |

KLUDI OBJEKTA *set number 10*

Thermostatic bath- and shower mixer with bath-shower set



* Suggested way of installing the elements. All measurements in cm.




KLUDI OBJEKTA
 thermostatic bath- and shower
 mixer DN 15
 cascade aerator M 28 x 1
 temperature control handle with hot water
 safety device 38° C
 50 % water consumption regulation

chrome

352010538


NEW



KLUDI A-QA b
 bath-shower set
 KLUDI A-QA b 1S hand shower DN 15
 with 50 % Eco function
 with shower spray with 60 flash nozzels
 SIRENAFLEX-hose
 G 1/2 x G 1/2 x 1250 mm

chrome

6565005-00




KLUDI ROTEXA 2000
 pop-up and overflow set G 1 1/2

chrome

2140705-00

KLUDI OBJEKTA *set number 11*

Single lever basin mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---------|--|---------|----------------|
| | KLUDI OBJEKTA single lever basin mixer DN 10 ceramic cartridge with hot water limitation Eco s-pointer aerator M 24 x 1Z pop-up waste G 1 1/4 | chrome | 322330575 |
| | <hr/> P-trap G 11/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon) | | |
| | | chrome | 1025005-00 |


KLUDI OBJEKTA *set number 12*

Single lever bidet mixer



* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---------|---------------------|---------|----------------|
|---------|---------------------|---------|----------------|



KLUDI OBJEKTA
 single lever bidet mixer DN 15
 ceramic cartridge with hot water limitation
 ball joint caché aerator M 18,5 x 1
 pop-up waste G 1 1/4

chrome

324160575



bidet P - trap 1 1/4
 G 1 1/4 x 32 mm
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome

1031105-00

KLUDI Q-BEO

The epitome of elegance

Precise contours, timeless elegance. KLUDI Q-BEO is the gem on the side of the washbasin or the bath. The clear lines and tensioned surfaces of these mixer collections take their cue from the contour of an elegant perfume bottle – a promise of exclusiveness and elegance that KLUDI Q-BEO, too, can emanate.













KLUDI Q-BE0

KLUDI Q-BEO *set number 1*

Concealed single lever bath and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---|--|---------|-------------------------|
|  | KLUDI Q-BEO concealed single lever bath and shower mixer | chrome | 506500565 NEW |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 61 x61 mm | chrome | 6653405-00 |
|  | KLUDI A-QA head shower DN 15 250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm | chrome | 6653105-00 |
|  | KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head low-aerosol connection G 1/2 | chrome | 5010005-00 |
|  | KLUDI A-QA s wall rail L = 900 mm horizontal and vertical adjustable slider SIRENAFLEX-hose G 1/2 x G 1/2 x 1600 mm with conical nuts | chrome | 6572005-00 |
|  | KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6554005-00 |

KLUDI Q-BEO *set number 2*

Concealed single lever bath and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|---------|--------------------------------|
|  | KLUDI Q-BEO concealed single lever bath and shower mixer | chrome | 506500565 NEW |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 61 x 61 mm | chrome | 6653405-00 |
|  | KLUDI A-QA head shower DN 15 250 x 250 mm quick and easy cleaning system with ball joint connection G 1/2 without shower arm | chrome | 6653105-00 |
|  | KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head low-aerosol connection G 1/2 | chrome | 5010005-00 |
|  | KLUDI A-QA fixed wall shower hook for hoses with conical nut with screws and dowels | chrome | 6555105-00 |
|  | KLUDI SUPARAFLEX hose with conical nuts G 1/2 x G 1/2 x 1250 mm | chrome | 6106105-00 |
|  | KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6554005-00 |

KLUDI Q-BEO *set number 3*

Concealed thermostatic bath- and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.



| Product | Product description | Surface | Article number |
|---|---|---------|--------------------------------|
|  |  KLUDI Q-BEO concealed thermostatic bath- and shower mixer hot water safety device 38 °C | chrome | 508300565 NEW |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI A-QA ceiling arm DN 15 for head shower DN 15 projection 150 mm with push-on rosette 61 x61 mm | chrome | 6653505-00 |
|  |  KLUDI A-QA head shower DN 15 250 x 250 mm | chrome | 6653105-00 |
|  |  KLUDI Q-BEO hand shower swivelling shower head low-aerosol connection G 1/2 | chrome | 5010005-00 |
|  |  KLUDI A-QA fixed wall shower hook for hoses with conical nut | chrome | 6555105-00 |
|  |  KLUDI SUPARAFLEX hose with conical nuts G 1/2 x G 1/2 x 1250 mm | chrome | 6106105-00 |
|  |  KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6554005-00 |
|  |  KLUDI AMBA two way diverter, trim set | chrome | 538470575 |
|  |  two way diverter DN 15 | - | 29747 |
|  |  KLUDI A-QA side shower DN 15 swivelling normal spray with ball joint and escutcheon | chrome | 6108305-00 |

KLUDI Q-BEO *set number 4*

Concealed single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.







| Product | Product description | Surface | Article number |
|--|---|---------|--|
|  | KLUDI Q-BEO concealed single lever shower mixer | chrome | 506550565 <div style="background-color: black; color: white; padding: 2px; text-align: center;">NEW</div> |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head low-aerosol connection G 1/2 | chrome | 5010005-00 |
|  | KLUDI Q-BEO wall rail L = 900 mm swivel wall-mounted rail with horizontally slider over wall rail and vertical above pass adjustable shower hose G 1/2 x G 1/2 x 1600 mm without hand shower | chrome | 5012005-00 |
|  | KLUDI A-QA wall supply DN 15 with wall-compensation ring | chrome | 6554005-00 |

KLUDI Q-BEO *set number 5*

Concealed single lever bath and shower mixer with shower set and KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|--|---|---------|--------------------------------|
|  | KLUDI Q-BEO concealed single lever bath and shower mixer concealed valve with functional unit protected against back flow | chrome | 506570565 NEW |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI Q-BEO shower set stand assembly consisting of: KLUDI Q-BEO hand shower shower hose 1500 mm connection pressure hose G 1/2 x G 1/2 x 500 mm | chrome | 5005105 NEW |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI Q-BEO *set number 6*

Single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|---------|--------------------------------|
|   | KLUDI Q-BEO single lever shower mixer DN 15 ceramic cartridge with hot water limitation protected against back flow | chrome | 507140565 NEW |
|   | KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head low-aerosol connection G 1/2 | chrome | 5010005-00 |
|   | KLUDI Q-BEO wall rail L = 900 mm swivel wall-mounted rail with horizontally slider over wall rail and vertical above pass adjustable shower hose G 1/2 x G 1/2 x 1600 mm without hand shower | chrome | 5012005-00 |
|   | KLUDI TASSO 90 pop-up waste trim set | chrome | 7137005-00 |
|   | KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter | - | 2109100-00 |

KLUDI Q-BEO *set number 7*

Thermostatic shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---|--|---------|--------------------------------|
|  | <p>KLUDI Q-BEO thermostatic shower mixer DN 15 temperature control handle with hot water safety device 38° C ceramic headpart 180° 50 % water consumption regulation protected against back flow</p> | chrome | 504000565 NEW |
|  | <p>KLUDI Q-BEO hand shower quick and easy cleaning system with shower-spray swivelling shower head low-aerosol connection G 1/2</p> | chrome | 5010005-00 |
|  | <p>KLUDI Q-BEO wall rail L = 900 mm swivel wall-mounted rail with horizontally slider over wall rail and vertical above pass adjustable shower hose G 1/2 x G 1/2 x 1600 mm without hand shower</p> | chrome | 5012005-00 |
|  | <p>KLUDI TASSO 90 pop-up waste trim set</p> | chrome | 7137005-00 |
|  | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | - | 2109100-00 |

KLUDI Q-BEO *set number 8*

Single lever bath- and shower mixer with bath-shower set



* Suggested way of installing the elements. All measurements in cm.




KLUDI Q-BEO
single lever bath- and shower
mixer DN 15
s-pointer aerator M 24 x 1
ceramic cartridge with hot water limitation
protected against back flow

chrome

504430565


NEW



KLUDI Q-BEO
hand shower
quick and easy cleaning system
with shower-spray
swivelling shower head
low-aerosol
connection G 1/2

chrome


5010005-00



KLUDI A-QA
fixed wall shower hook
for hoses with conical nut
with screws and dowels

chrome


6555105-00



KLUDI SUPARAFLEX-Schlauch
shower hose DN 15 with conical nuts
G 1/2 x G 1/2 x 1250 mm

chrome

6106105-00




KLUDI ROTEXA 2000
pop-up and overflow set G 1 1/2

chrome

2140705-00

KLUDI Q-BEO *set number 9*

Bath- and shower mixer for four hole tiles deck mounted installation with KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.

**KLUDI Q-BEO**

bath-and shower mixer DN 15
four hole tiles deck mounted installation
ceramic headpart 90°
retractable KLUDI Q-BEO-hand shower
high pressure supply hoses
G 1/2 x G 1/2 x 400 mm
protected against back flow

chrome


504240565

NEW

bath rim assembly kit
pre-installation set for four hole mixer
with 2 pressure hoses
G 1/2 x G 1/2 x 400 mm
pop-up and overflow set G 1 1/2

-


7466200-00

**KLUDI**

pop-up and overflow set
trim set rosette plate and plug

chrome

7106605-00

**visible mounting plate**

for combination with mounting plate 76148
and assembly package 74662, 74794

chrome

1602105

**screw set**


trim set
for mounting plate 76148, 76149
and assembly package 74662, 74802,
75802, 74794

chrome

7615605-00


KLUDI Q-BEO *set number 10*

Single lever basin mixer



* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---------|---------------------|---------|----------------|
|---------|---------------------|---------|----------------|




KLUDI Q-BEO
 single lever basin mixer DN 15
 s-pointer aerator M 24 x 1
 ceramic cartridge with hot water limitation
 pop-up waste G 1 1/4
 flexible hoses G 3/8

chrome

500230565

NEW




P-trap G 1 1/4
 G 1 1/4 x 32 mm, standard model
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome

1025005-00

KLUDI Q-BEO *set number 11*

Basin mixer for three hole assembling




* Suggested way of installing the elements. All measurements in cm.

Product

Product description

Surface

Article number




KLUDI Q-BEO
basin mixer DN 15 three hole assembling
s-pointer aerator M 24 x 1
ceramic headpart 90°
pop-up waste G 1 1/4
flexible hoses G 3/8

chrome

501430565

NEW




P-trap G 1 1/4
G 1 1/4 x 32 mm, standard model
with bent outlet 32 x 200 mm
with wall flange (escutcheon)

chrome


1025005-00

KLUDI Q-BEO *set number 12*

Single lever bidet mixer




* Suggested way of installing the elements. All measurements in cm.

**KLUDI Q-BEO**

single lever bidet mixer DN 15
ball joint-cascade-aerator M 24 x 1
ceramic cartridge with hot water limitation
pop-up waste G 1 1/4
flexible hoses G 3/8

chrome

502160565

NEW**bidet P - trap 1 1/4**

G 1 1/4 x 32 mm
with bent outlet 32 x 200 mm
with wall flange (escutcheon)

chrome

1031105-00



KLUDI BALANCE


Complete harmony

KLUDI BALANCE radiates soothing calm. Crisp lines are combined with gentle curves in a timeless design, which is the perfect match for discriminating bathroom concepts. The lever seems to float above the mixer body. Fitting like a glove on the hand with its beautiful lines, it regulates the flow of water precisely.



KLUDI BALANCE *set number 1*

Concealed thermostatic bath- and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.













| Product | Product description | Surface | Article number |
|--|--|------------------------|--|
|  | KLUDI BALANCE concealed thermostatic bath and shower mixer with ceramic shut-off valve hot water safety device 38 °C | chrome white/chrome | 528300575 528309175 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette 61 x 61 mm | chrome | 6653405-00 |
|  | KLUDI A-QA eco-head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm | chrome | 6652105-00 |
|  | KLUDI FIZZ 3S shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 3S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts | chrome white/chrome | 6774005-00 6774091-00 NEW |
|  | KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |

KLUDI BALANCE *set number 2*

Concealed thermostatic bath- and shower mixer with head shower and bath-shower set




* Suggested way of installing the elements. All measurements in cm.






| Product | Product description | Surface | Article number |
|---|---|------------------------|--|
|   | KLUDI BALANCE concealed thermostatic bath and shower mixer with ceramic shut-off valve hot water safety device 38 °C | chrome white/chrome | 528300575 528309175 |
|   | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|   | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|   | KLUDI A-QA eco-head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm | chrome | 6652105-00 |
|   | KLUDI FIZZ 3S bath-shower set KLUDI FIZZ 3S hand shower DN 15 quick and easy cleaning system flow class B adjustable to three spray patterns: booster, smooth, volume connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm | chrome white/chrome | 6775005-00 6775091-00 NEW |
|   | KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |

KLUDI BALANCE *set number 3*

Concealed thermostatic bath- and shower mixer with head shower, bath-shower set and side shower




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|--|---|------------------------|--|
|  | KLUDI BALANCE concealed thermostatic bath- and shower mixer with ceramic shut-off valve hot water safety device 38 °C | chrome white/chrome | 528300575 528309175 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI A-QA shower arm DN 15 projection 400 mm | chrome | 6651405-00 |
|  | KLUDI A-QA ECO eco-head shower DN 15 Ø 245 mm water flow regulator 9.0 l/min | chrome | 6652105-00 |
|  | KLUDI FIZZ 3S bath-shower set KLUDI FIZZ 3S hand shower DN 15 adjustable to three spray patterns: booster, smooth, volume KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm | chrome white/chrome | 6775005-00 6775091-00 NEW |
|  | KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |
|  | KLUDI BALANCE two way diverter trim set | chrome | 528470575 |
|  | two way diverter DN 15 | - | 29747 |
|  | KLUDI FIZZ side shower DN 15 swivelling, normal spray with ball joint and escutcheon | chrome | 6708305-00 |

KLUDI BALANCE *set number 4*

Concealed thermostatic bath- and shower mixer with KLUDI DUAL-Shower-System




* Suggested way of installing the elements. All measurements in cm.





| Product | Product description | Surface | Article number |
|---|--|--------------------------------|--|
|  | <p>KLUDI BALANCE concealed thermostatic bath- and shower mixer with ceramic shut-off valve hot water safety device 38 °C</p> | <p>chrome white/chrome</p> | <p>528300575 528309175</p> |
|  | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|  | <p>KLUDI FIZZ Dual-Shower-System DN 15 wall fastening with horizontally and vertically adjustable tube flow class BB two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer</p> | chrome | 6709105-00 |
|  | <p>KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow</p> | chrome | 5206105-00 |

KLUDI BALANCE *set number 5*

Concealed single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.








| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|  | KLUDI BALANCE concealed single lever shower mixer | chrome white/chrome | 526550575 526559175 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FIZZ 1S shower set 1S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 1S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts | chrome white/chrome | 6764005-00 6764091-00 NEW |
|  | KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |

KLUDI BALANCE *set number 6*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.







| Product | Product description | Surface | Article number |
|---|---|---------|----------------|
|  | KLUDI BALANCE concealed single lever bath and shower mixer protected against back flow | chrome | 526570575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FIZZ Dual-Shower-System DN 15 wall fastening with horizontally and vertically adjustable tube flow class BB two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer | chrome | 6709105-00 |
|  | KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI BALANCE *set number 7*

Concealed single lever bath and shower mixer, bath-shower set and KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|------------------------|--|
|  | KLUDI BALANCE concealed single lever bath and shower mixer protected against back flow | chrome | 526570575 |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | KLUDI FIZZ bath shower set 1S KLUDI FIZZ 1S hand shower DN 15 with spray mode: volume quick and easy cleaning system KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 | chrome white/chrome | 6767005-00 6767091-00 NEW |
|  | KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  | KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  | Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI BALANCE *set number 8*

Single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|   | <p>KLUDI BALANCE single lever shower mixer DN 15 ceramic cartridge with hot water limitation shower outlet G 1/2 protected against back flow</p> | chrome white/chrome | 527100575 527109175 |
|   | <p>KLUDI FIZZ shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 3S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts</p> | chrome white/chrome | 6774005-00 6774091-00 <div style="background-color: black; color: white; padding: 2px; text-align: center; font-weight: bold;">NEW</div> |
|   | <p>KLUDI TASSO 90 pop-up waste trim set</p> | chrome | 7137005-00 |
|   | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | - | 2109100-00 |

KLUDI BALANCE *set number 9*

Thermostatic shower mixer with KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|--|--|---------|----------------|
|   | KLUDI BALANCE thermostatic shower mixer DN 15 temperature control handle with hot water safety device 38° C 50 % water consumption regulation shower outlet G 1/2 protected against back flow | chrome | 352500575 |
|   | KLUDI FIZZ wall fastening with horizontally and vertically adjustable tube flow class BB two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757505-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer | chrome | 6709105-00 |
|   | KLUDI TASSO 90 pop-up waste trim set | chrome | 7137005-00 |
|   | KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter | - | 2109100-00 |

KLUDI BALANCE *set number 10*

single lever bath- and shower mixer with bath-shower set and KLUDI ROTEXA 2000




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|---|---|------------------------|--|
|  | <p>KLUDI BALANCE single lever bath- and shower mixer DN 15 s-pointer aerator M 24 x 1D ceramic cartridge with hot water limitation protected against back flow</p> | chrome white/chrome | 524450575 524459175 |
|  | <p>KLUDI FIZZ bath-shower set KLUDI FIZZ 1S hand shower DN 15 quick and easy cleaning system flow class B with spray mode: volume connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material</p> | chrome white/chrome | 6765005-00 6765091-00 NEW |
|  | <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2</p> | chrome | 2140705-00 |

KLUDI BALANCE *set number 11*

Single lever bath- and shower mixer for free standing bath tubs and KLUDI ROTEXA 2000




* Suggested way of installing the elements. All measurements in cm.






| Product | Product description | Surface | Article number |
|--|---|---|---|
|  | <p>KLUDI BALANCE single lever bath- and shower mixer DN 15 installation for free standing bath tub solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow-regulator M 24 x 1 autom. diverter shower/bathtub protected against back flow Suparaflex shower hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ 1S handshower</p> | <p>chrome white/chrome</p> | <p>525900575 525909175</p> |
|  | <p>KLUDI FLEXX.BOXX concealed unit DN 20 for freestanding bath- and shower mixer with flushing set</p> | - | 88088 |
|  | <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2</p> | chrome | 2140705-00 |

KLUDI BALANCE *set number 12*

Single lever bath- and shower mixer




* Suggested way of installing the elements. All measurements in cm.





| Product | Product description | Surface | Article number |
|---|---|---------------------------------|---|
|  | <p>KLUDI BALANCE single lever bath- and shower mixer DN 15 s-pointer aerator M 24 x 1 ceramic cartridge with hot water limitation protected against back flow G 1/2 x G 1/2 x 600 mm</p> | <p>chrome white/chrome</p> | <p>524470575 524479175</p> |
|  | <p>bath rim assembly kit pre-installation set for three hole mixer with 2 pressure hoses G 1/2 x G 1/2 x 400 mm incl. back flow preventer pop-up and overflow set G 1 1/2</p> | - | <p>7480200-00</p> |
|  | <p>KLUDI pop-up and overflow set trim set</p> | chrome | <p>7106605-00</p> |
|  | <p>visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802</p> | chrome | <p>1602405</p> |
|  | <p>screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794</p> | chrome | <p>7615605-00</p> |

KLUDI BALANCE *set number 13*

Single lever basin mixer




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|---|--|--|---|
|  | <p>KLUDI BALANCE single lever basin mixer DN 10 caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation pop-up waste G 1 1/4</p> | <p>chrome white/chrome</p> | <p>520230575 520239175</p> |
|  |  | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | <p>chrome 1025005-00</p> |
|  | | | |

KLUDI BALANCE *set number 14*

Single lever washbowl mixer




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---|--|------------------------|--------------------------------------|
|  | <p>KLUDI BALANCE single lever washbasin mixer DN 10 caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation without pop-up waste</p> | chrome white/chrome | 522960575 522969175 |
|  | <p>lockable plug for wash basin without overflow waste flow rate 22 l/min with hair strainer</p> | chrome | 1042205-00 |
|  | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | chrome | 1025005-00 |

KLUDI BALANCE *set number 15*

Concealed two hole wall mounted basin mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|---------|----------------|
|   | KLUDI BALANCE concealed two hole wall mounted basin mixer s-pointer eco-aerator M 24 x 1 | chrome | 522440575 |
|   | installation set DN 15 for concealed installation ceramic cartridge with hot water limitation connection G 1/2 | - | 38243 |
|   | PUSH-OPEN waste lockable plug for wash basin with overflow | chrome | 1042405-00 |
|   | P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon) | chrome | 1025005-00 |

KLUDI BALANCE *set number 16*

Single lever bidet mixer



* Suggested way of installing the elements. All measurements in cm.




KLUDI AMBA

The gentle beauty


She's a real beauty: KLUDI AMBA. Sleek, harmonious contours are combined with smooth, rounded surfaces. The flow of water is wonderfully gentle; every touch becomes a sensory experience. Never before has there been a fitting that radiated such emotional qualities.

KLUDI AMBA *set number 1*

Concealed thermostatic bath- and shower mixer with head shower and shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|  |  KLUDI AMBA concealed thermostatic bath- and shower mixer hot water safety device 38 °C | chrome | 538300575 |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  |  KLUDI A-QA eco-head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm | chrome | 6652105-00 |
|  |  KLUDI FIZZ 3S shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 3S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts | chrome white/chrome | 6774005-00 6774091-00 NEW |
|  |  KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |

KLUDI AMBA *set number 2*

Concealed single lever bath and shower mixer with head shower and bath-shower set




* Suggested way of installing the elements. All measurements in cm.

















| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|  |  KLUDI AMBA concealed single lever bath and shower mixer ceramic cartridge with hot water limitation | chrome | 536570575 |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  |  KLUDI A-QA eco-head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm | chrome | 6652105-00 |
|  |  KLUDI FIZZ 3S bath-shower set KLUDI FIZZ 3S hand shower DN 15 quick and easy cleaning system flow class B adjustable to three spray patterns: booster, smooth, volume connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm plastic-coated with conical nuts with mounting material | chrome white/chrome | 6775005-00 6775091-00 NEW |
|  |  KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |

KLUDI AMBA *set number 3*

Concealed thermostatic bath- and shower mixer with head shower, bath-shower set and side shower




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|------------------------|--------------------------|
|  | KLUDI AMBA concealed thermostatic bath- and shower mixer with ceramic shut-off valve hot water safety device 38 °C | chrome | 538300575 |
|  | | | |
|  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  | | | |
|  | KLUDI A-QA shower arm DN 15 for head shower DN 15 projection 400 mm with push-on rosette diameter 55 mm | chrome | 6651405-00 |
|  | | | |
|  | KLUDI A-QA eco-head shower DN 15 Ø 245 mm quick and easy cleaning system with ball joint connection G 1/2 water flow regulator 9.0 l/min without shower arm | chrome | 6652105-00 |
|  | | | |
|  | KLUDI FIZZ bath shower set 1S KLUDI FIZZ 1S hand shower DN 15 with spray mode: volume quick and easy cleaning system KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 | chrome white/chrome | 6767005-00 6767091-00 |
|  | | | |
|  | KLUDI AMBA two way diverter, trim set | chrome | 538470575 |
|  | | | |
|  | two way diverter DN 15 | - | 29747 |
|  | | | |
|  | KLUDI FIZZ side shower DN 15 swivelling, normal spray with ball joint and escutcheon | chrome | 6708305-00 |
|  | | | |

KLUDI AMBA *set number 4*

Concealed thermostatic mixer with bath-shower set and side shower




* Suggested way of installing the elements. All measurements in cm.




| Product | Product description | Surface | Article number |
|---|---|---|--|
|  |  | KLUDI AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit hot water safety device 38 °C | chrome 537290575 |
|  |  | KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - 88011 |
|  |  | KLUDI A-QA ceiling arm DN 15, for head shower DN 15, projection 150 mm | chrome 6651505-00 |
|  |  | KLUDI A-QA eco-head shower DN 15 Ø 245 mm water flow regulator 9.0 l/min | chrome 6652105-00 |
|  |  | KLUDI FIZZ bath shower set 1S KLUDI FIZZ 1S hand shower DN 15 with spray mode: volume quick and easy cleaning system KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 | chrome white/chrome 6767005-00 6767091-00 NEW |
|  |  | KLUDI AMBA two way diverter, trim set | chrome 5381505 75 |
|  |  | KLUDI concealed valve DN 20 | - 53811 |
|  |  | KLUDI AMBA three-way diverter trim set | chrome 538460575 |
|  |  | KLUDI three-way diverter DN 15 | - 29757 |
|  |  | KLUDI FIZZ side shower DN 15 swivelling, normal spray with ball joint and escutcheon | chrome 6708305-00 |

KLUDI AMBA *set number 5*

Concealed single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.















| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|  | <p>KLUDI AMBA concealed single lever shower mixer ceramic cartridge with hot water limitation</p> | chrome | 536550575 |
|  | <p>KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set</p> | - | 88011 |
|  | <p>KLUDI FIZZ 3S shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 3S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts</p> | chrome white/chrome | 6774005-00 6774091-00 NEW |
|  | <p>KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow</p> | chrome | 5206105-00 |

KLUDI AMBA *set number 6*

Concealed single lever bath and shower mixer with KLUDI ROTEXA MULTI and KLUDI DUAL-SHOWER-SYSTEM




* Suggested way of installing the elements. All measurements in cm.













| Product | Product description | Surface | Article number |
|---|--|---------|-------------------|
|  |  KLUDI AMBA concealed single lever bath and shower mixer ceramic cartridge with hot water limitation protected against back flow | chrome | 536570575 |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI FIZZ DUAL-SHOWER-SYSTEM wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer | chrome | 6709305-00 |
|  |  KLUDI BALANCE wall supply DN 15 with wall-compensation ring protected against back flow | chrome | 5206105-00 |
|  |  KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  |  KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  |  Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI AMBA *set number 7*

Concealed single lever bath and shower mixer with bath-shower set and KLUDI ROTEXA MULTI




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|  |  KLUDI AMBA concealed single lever bath and shower mixer ceramic cartridge with hot water limitation protected against back flow | chrome | 536570575 |
|  |  KLUDI FLEXX.BOXX concealed unit DN 20 with flushing set | - | 88011 |
|  |  KLUDI FIZZ bath shower set 1S KLUDI FIZZ 1S hand shower DN 15 with spray mode: volume quick and easy cleaning system KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 | chrome white/chrome | 6767005-00 6767091-00 NEW |
|  |  KLUDI ROTEXA MULTI bath filling, waste and overflow set G 1 1/2 pre installation set | - | 2131500-00 |
|  |  KLUDI ROTEXA MULTI filling, waste and overflow trim set | chrome | 7182605-00 |
|  |  Nirosta-pressure hose G 1/2 x G 1/2 x 600 mm for KLUDI ROTEXA MULTI hot water resistant | - | 6115000-00 |

KLUDI AMBA *set number 8*

Single lever shower mixer with shower set




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|---|------------------------|--|
|   | KLUDI AMBA single lever shower mixer DN 15 solid lever ceramic cartridge with hot water limitation protected against back flow | chrome | 537100575 |
|   | KLUDI FIZZ shower set 3S L = 900 mm wall rail horizontal and vertical adjustable slider KLUDI FIZZ 3S hand shower DN 15 KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1600 mm plastic-coated with conical nuts | chrome white/chrome | 6774005-00 6774091-00 NEW |
|   | KLUDI TASSO 90 pop-up waste trim set | chrome | 7137005-00 |
|   | KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter | - | 2109100-00 |







| Product | Product description | Surface | Article number |
|---|---|---------|----------------|
|  | <p>KLUDI AMBA thermostatic shower mixer DN 15 temperature control handle with hot water safety device 38° C 50 % water consumption regulation protected against back flow</p> | chrome | 534000538 |
|  | | | |
|  | <p>KLUDI FIZZ DUAL-SHOWER-SYSTEM DN 15 wall fastening with horizontally and vertically adjustable tube flow class AA two-way ceramic diverter water supply with flexible hose G 1/2 x G 1/2 x 800 mm horizontal and vertical adjustable slider KLUDI SUPARAFLEX SILVER-hose 6107205-00 with KLUDI FIZZ head shower 6757805-00 with KLUDI FIZZ 3S handshower DN 15 6770005-00 with mounting material without shower mixer</p> | chrome | 6709305-00 |
|  | | | |
|  | <p>KLUDI TASSO 90 pop-up waste trim sett</p> | chrome | 7137005-00 |
|  | | | |
|  | <p>KLUDI TASSO 90 pop-up waste for flat shower tubs with 90 mm waste hole diameter</p> | - | 2109100-00 |
|  | | | |

KLUDI AMBA *set number 10*

Thermostatic bath- and shower mixer with bath-shower set




* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---|--|------------------------|--|
|  | <p>KLUDI AMBA thermostatic bath- and shower mixer DN 15 cascade aerator M 28 x 1 temperature control handle with hot water safety device 38° C 50 % water consumption regulation protected against back flow</p> | chrome | 534010538 |
|  | <hr/> <p>KLUDI FIZZ bath-shower set KLUDI FIZZ 3S hand shower DN 15 quick and easy cleaning system flow class B adjustable to three spray patterns: booster, smooth, volume connection G 1/2 fixed wall shower hook with screws and dowels KLUDI SUPARAFLEX SILVER/WHITE-hose G 1/2 x G 1/2 x 1250 mm</p> | | |
|  |  | chrome white/chrome | 6775005-00 6775091-00 NEW |
|  | <p>KLUDI ROTEXA 2000 pop-up and overflow set G 1 1/2</p> | chrome | 2140705-00 |
|  | <hr/> | | |

KLUDI AMBA *set number 11*

Single lever bath- and shower mixer for free standing bath tub and ROTEXA 2000




* Suggested way of installing the elements. All measurements in cm.




KLUDI AMBA
 single lever bath- and shower mixer
 DN 15
 installation for free standing bath tub
 ceramic cartridge with hot water limitation
 caché s-pointer-Laminar-flow-regulator
 protected against back flow
 KLUDI SUPARAFLEX SILVER-hose anti twist
 G 1/2 x G 1/2 x 1250 mm
 with KLUDI FIZZ 1S handshower 6760005-00

chrome 535900575



KLUDI FLEXX.BOXX
 concealed unit DN 20
 for freestanding bath- and shower mixer
 with flushing set
 without stand fitting

chrome 88088




KLUDI ROTEXA 2000
 pop-up and overflow set G 1 1/2

chrome 2140705-00

KLUDI AMBA *set number 12*

Single lever bath- and shower mixer for three hole tiles deck mounted installation




* Suggested way of installing the elements. All measurements in cm.



| Product | Product description | Surface | Article number |
|---------|--|---------|----------------|
| | <p>KLUDI AMBA single lever bath- and shower mixer DN 15 caché s-pointer-Laminar-flow-regulator M 24 x 1 ceramic cartridge with hot water limitation protected against back flow</p> | chrome | 534470575 |
| | <hr/> <p>bath rim assembly kit pre-installation set for three hole mixer with 2 pressure hoses G 1/2 x G 1/2 x 400 mm incl. back flow preventer pop-up and overflow set G 1 1/2</p> | | |
| | | - | 7480200-00 |
| | <p>KLUDI pop-up and overflow set trim set</p> | chrome | 7106605-00 |
| | <hr/> <p>visible mounting plate for combination with mounting plate 76149 and assembly package 74802, 75802</p> | | |
| | | chrome | 1602405 |
| | <p>screw set trim set for mounting plate 76148, 76149 and assembly package 74662, 74802, 75802, 74794</p> | chrome | 7615605-00 |
| | <hr/> | | |

KLUDI AMBA *set number 13*

Single lever basin mixer




* Suggested way of installing the elements. All measurements in cm.







| Product | Product description | Surface | Article number |
|--|---|---------|----------------|
|  | <p>KLUDI AMBA single lever basin mixer DN 15 caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm pop-up waste G 1 1/4</p> | chrome | 530230575 |
|  | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | chrome | 1025005-00 |

KLUDI AMBA *set number 14*

Single lever washbowl mixer




* Suggested way of installing the elements. All measurements in cm.









| Product | Product description | Surface | Article number |
|---|---|--|---------------------------------|
|  |  | <p>KLUDI AMBA single lever washbowl mixer DN 15 caché s-pointer-aerator M 24 x 1 ceramic cartridge Ø 28 mm without pop-up waste</p> | <p>chrome 532960575</p> |
|  |  | <p>lockable plug for wash basin without overflow waste flow rate 22 l/min with hair strainer</p> | <p>chrome 1042205-00</p> |
|  |  | <p>P-trap G 1 1/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | <p>chrome 1025005-00</p> |

KLUDI AMBA *set number 15*

Concealed two hole wall mounted basin mixer




* Suggested way of installing the elements. All measurements in cm.

| Product | Product description | Surface | Article number |
|---|--|---------|----------------|
|  | <p>KLUDI AMBA concealed two hole wall mounted basin mixer caché s-pointer-aerator M 24 x 1 projection wall spout 186 mm</p> | chrome | 532440575 |
|  | <hr/> | | |
|  | <p>installation set DN 15 for concealed installation ceramic cartridge with hot water limitation connection G 1/2</p> | - | 38243 |
|  | <hr/> | | |
|  | <p>PUSH-OPEN waste lockable plug for wash basin with overflow</p> | chrome | 1042405-00 |
|  | <hr/> | | |
|  | <p>P-trap G 11/4 G 1 1/4 x 32 mm, standard model with bent outlet 32 x 200 mm with wall flange (escutcheon)</p> | chrome | 1025005-00 |
|  | <hr/> | | |


KLUDI AMBA *set number 16*

Single lever bidet mixer



* Suggested way of installing the elements. All measurements in cm.


| Product | Product description | Surface | Article number |
|---------|---------------------|---------|----------------|
|---------|---------------------|---------|----------------|



KLUDI AMBA
 single lever bidet mixer DN 15
 ball joint-cascade-aerator M 24 x 1
 ceramic cartridge Ø 28 mm
 pop-up waste G 1 1/4

chrome

532160575



bidet P - trap 1 1/4
 G 1 1/4 x 32 mm
 with bent outlet 32 x 200 mm
 with wall flange (escutcheon)

chrome

1031105-00

WALL INSTALLATION



Align and screw in



Connect up



Trim and affix seal



Maxximum

FINAL INSTALLATION



Remove assembly pipe



Simply lift out flushing set



Install unit



Tile



Flush in accordance with DIN 1988 using integrated flushing set – without opening the box



Trim to size – the inside of the box remains protected from dirt during the entire construction phase

ease of installation

Simple. Quick. Safe.



Install trim set



Affix rosette attachment



Ready!

The film: the new FLEXX.BOXX live.

Watch a step by step demonstration of how simple it is to install the new FLEXX.BOXX. Simply scan the QR code or click on the FLEXX.BOXX film at www.flexxboxx.com/en



● KLUDI ●

Kludi GmbH & Co. KG
P.O. Box 25 60 · 58685 Menden
Am Vogelsang 31–33 · 58706 Menden
Germany

Tel. +49 2373 904-193

Fax +49 2373 904-540

international-sales@kludi.com · www.kludi.com